

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (canceled)
2. (canceled)
3. (canceled)
4. (canceled)
5. (canceled)
6. (canceled)
7. (canceled)
8. (canceled)
9. (canceled)
10. (canceled)
11. (canceled)
12. (canceled)
13. (canceled)
14. (canceled)
15. (canceled)
16. (canceled)
17. (canceled)
18. (canceled)
19. (canceled)
20. (canceled)
21. (canceled)
22. (canceled)
23. (canceled)
24. (canceled)
25. (canceled)
26. (canceled)
27. (canceled)
28. (canceled)
29. (canceled)

BEST AVAILABLE COPY

30. (currently amended): A process for preparing an aqueous dispersion of latex particles having a heterogeneous morphology by a semicontinuous emulsion polymerization comprising: forming a surfactant, or protective colloid; and forming an emulsion polymer by a semicontinuous process from a monomer mixture, using said surfactant, or protective colloid, wherein said monomer mixture comprises: 10 to 70 percent by weight of at least one nonionic, ethylenically unsaturated monomer whose homopolymer has [having] a Tg above 30°C; and 5 to 30 percent by weight of at least one hydrophillic, ethylenically unsaturated monomer, wherein the nonionic, ethylenically unsaturated monomer and the at least one hydrophillic, ethylenically unsaturated monomer are simultaneously added to the dispersion, and wherein the latex particles have good storage stability and water resistance and have raspberry and/or domain structures.

31. (previously presented): The process of claim 30 further comprising forming said emulsion polymer in the presence of an in situ seed polymer.

32. (previously presented): The process of claim 31 wherein said seed polymer comprises from 0.01 to 25 percent by weight of said emulsion polymer.

33. (previously presented): The process of claim 30 wherein said protective colloid is a (co)polymer stabilizer having cationic functionality.

34. (previously presented): The process of claim 33 wherein said cationic functionality comprises a quaternary ammonium group.

35. (previously presented): The process of claim 33 wherein said cationic (co)polymer stabilizer is formed in an aqueous medium [to] in which the monomer mixture is subsequently polymerized.

36. (previously presented): The process of claim 30 wherein said monomer mixture further comprises an anionic functional monomer.

37. (previously presented): The process of claim 33 wherein said monomer mixture comprises at least one monomer having at least one protonated reactive group, which is capable of becoming deprotonated by raising the pH-value of the aqueous dispersion.

BEST AVAILABLE COPY

38. (previously presented): The process of claim 30 wherein the homopolymer of said nonionic, ethylenically unsaturated monomer has a T_g of from 50°C to 110°C.
39. (previously presented): The process of claim 30 wherein said nonionic, ethylenically unsaturated monomer is styrene or a styrene derivative.
40. (previously presented): The process of claim 30 wherein said hydrophilic, ethylenically unsaturated monomer comprises at least one acid functional monomer.
41. (previously presented): The process of claim 40 wherein said acid functional monomer is an acrylic or methacrylic acid.
42. (previously presented): The process of claim 40 wherein the ratio of said acid functional monomer to the other monomers in the emulsion polymer is about 1:70.
43. (previously presented): The process of claim 30 wherein said latex particles are monodisperse and have an average diameter of from 30 to 1000 nm.
44. (previously presented): An aqueous dispersion of latex particles formed by the process of claim 30.
45. (previously presented): The aqueous dispersion of claim 44 comprising a mixture of the latex particles formed by the process of claim 30 with at least one dispersion containing other latex particles.
46. (previously presented): Latex particles formed by the process of claim 30 which have been dried by the removal of water from the aqueous dispersion.
47. (previously presented): The latex particles of claim 46 wherein said particles have a heterogeneous morphology having a hydrophilic inner phase and a hydrophobic outer phase.
48. (previously presented): The latex particles of claim 46 wherein said hydrophilic phase is alkali-soluble.
49. (previously presented): The latex particles of claim 46 wherein said particles are redispersible in an aqueous medium.

BEST AVAILABLE COPY

50. (previously presented): A method of using the latex particles of claim 46 comprising the step of placing the particles in composite and coating mortars, cement dyes, adhesives, plastics cement-bound systems, cement-free binders, wallpaper pastes and glass fiber composite systems.

BEST AVAILABLE COPY